







DIGITAL DISCOVERY: THE NEW BMW BROCHURES APP.

More information, more sheer driving pleasure: The new BMW brochures app offers a digital and interactive BMW experience like never before. Download the BMW brochures app for your smartphone or tablet now and

rediscover your BMW.







18 Highlights




**20** Exterior colours

## PERFORMANCE



**24** Wheels and tyres / Original BMW Accessories



**26** Technical data



THE RULE BOOK.







# EYE-CATCHING AND COMPELLING.

HEADLIGHTS WITH FOCUSED HEXAGONAL DESIGN\* II LARGER, MORE DYNAMIC AIR INLETS II EXPRESSIVE FRONT DESIGN

\* Available as optional equipment.





### **OPEN AND UNALLOYED.**

EXPRESSIVE REAR DESIGN || LOW VISUAL CENTRE OF GRAVITY || LIGHTS WITH EDGIER DESIGN || FULLY RETRACTABLE ROOF FOR MAXIMUM CONVERTIBLE FEELING



Discover more with the new BMW catalogue app. Now available for your smartphone and tablet.

■ Standard equipment □ Optional equipment



☐ The BMW M240i in the optional Black Sapphire exterior colour with optional 18" M light alloy wheels Double-spoke style 719 M Jet Black.



☐ The BMW 2 Series Convertible with Luxury Line in the optional Seaside Blue metallic exterior colour with 17" light alloy wheels Double-spoke style 724 in Ferric Grey.



☐ The Navigation system Professional, including hands-free facility, USB interface, 8.8" LCD colour display and Radio BMW Professional with a DVD player, comes with a three-dimensional map display and 20 GB of memory. The system is operated intuitively via the iDrive Touch Controller. Automatic map updates are available for three years without license fees.<sup>1</sup>




☐ The Instrument cluster with extended contents: includes Info Display for the presentation of navigation instructions and various controls.



■ The mirror caps are painted high-gloss Black<sup>2</sup> instead of in the body colour. They emphasise the car's athletic look and create an individual appearance.



☐ The Parking assistant makes parking parallel and perpendicular to the road easier. The system works by measuring even tight potential parallel parking spaces while driving past at a low speed. When a suitable space has been found, the Parking assistant takes over the steering, while the driver is responsible for selecting the correct gear, as well as pressing the accelerator and brakes.



☐ The Rear view camera enables improved orientation when reversing at speeds below 15 km/h, for example when parking. It shows the area behind the car on the Control Display. Interactive track lines for measuring distance and turning circles assist the driver when manoeuvring, obstacles are marked in colour.



☐ Adaptive LED headlights with full LED technology include integrated turn indicators, low-beam headlights, high-beam headlights, as well as daytime running lights for safety and optimal illumination of the road. The High-beam assistant and Adaptive headlights with variable light control significantly enhance visibility in the dark - for relaxed driving almost like daily conditions.



☐ The Wind deflector³ provides the driver and front passenger with effective protection from draughts at neck and shoulder-height, even when travelling at high speeds. When it is not needed, the collapsible sides can simply be folded together for easy and compact storage.




☐ The 8-speed Steptronic Sport transmission offers incredibly sporty gear changes Whether automatic or manual using gearshift paddles or gear



☐ The HiFi loudspeaker system Harman Kardon with external 360 watt amplifier in the luggage compartment consists of 12 speakers including two central subwoofers.



☐ The Automatic air conditioning with two-zone control and automatic temperature regulation features separate controls for the driver and front passenger. It includes rear air vents, Automatic Air Recirculation (AAR), an active carbon filter, fogging and solar sensors, as well as automatic day/night adjustment in the display from white to orange.



☐ Prepartation for Apple CarPlay®, 4 supports the convenient and wireless use of selected iPhone® functions in the vehicle. This allows smartphone content and functions such as music, iMessages/text messages, telephony, Siri, navigation and selected third-party apps to be displayed and operated via the vehicle's user interface and via Voice control.



☐ Telephony with wireless charging<sup>5</sup> includes a wireless charging dock and additional USB ports. A roof aerial connection improves mobile reception. Two mobile telephones and an audio player can be connected simultaneously via Bluetooth. Also included are: Bluetooth Office and the technical capacity for a WiFi hotspot.

<sup>&</sup>lt;sup>1</sup> As part of BMW ConnectedDrive, in selected European countries, the system automatically updates maps for three years up to four times per year.

Only in conjunction with Sport Line.
 Only available for the BMW 2 Series Convertible.


 $<sup>^4</sup>$  Compatibility and functionality of Apple CarPlay® is dependent on model year and the software status of the iPhone®. Selected vehicle data is transferred during use of the Apple CarPlay® preparation. Ongoing data processing is the responsibility of the mobile phone manufacturer.


<sup>&</sup>lt;sup>5</sup> Supports inductive charging for Qi-compatible mobile phones. Special charging cases are available from Original BMW Accessories for selected smartphones that do not support the Qi standard for inductive charging. The WiFi hotspot fulfils all in-vehicle requirements for use of the internet with the maximum LTE standard. Usage is subject to cost.


Discover even more with the new BMW Brochures app. Available now, for your smartphone and tablet.

■ Standard equipment □ Optional equipment










Not available for BMW M240i and M240i xDrive.
 Only available in conjunction with the M Sport package.
 Available as standard for the M Sport package.
 Optionally available for the M Sport package.
 Optional and standard equipment vary according to country.

Discover even more with the new BMW Brochures app. Available now, for your smartphone and tablet.

Please note that even normal long- or short-term use can lead to unrecoverable upholstery damage. This can be caused in particular by non-colourfast clothing.
Please note that the interior colour depends on the selected upholstery colour.



 $<sup>^{\</sup>rm 1}$  Only available in conjunction with standard seats.  $^{\rm 2}$  Only available for the BMW 2 Series Convertible.

☐ 17" light alloy wheels Doublespoke style 655, 7.5J x 17, 225/45 R17 tyres.



☐ 16" light alloy wheels Starspoke style 654, 7J x 16 with 205/55 R16 tyres.



☐ 18" light alloy wheels Doublespoke style 385 with mixed tyres, front 7.5J x 18 with 225/40 R18 tyres, rear 8J x 18 with 245/35 R18 tyres.



☐ 16" light alloy wheels Starspoke style 376, 7J x 16 with 205/55 R16 tyres.




☐ 17" light alloy wheels Starspoke style 379, Orbit Grey, gloss-lathed, 7.5J x 17 with 225/45 R17 tyres.



■ 16" light alloy wheels V-spoke style 378, 7J x 16 with 205/55 R16 tyres.



☐ 17" light alloy wheels Y-spoke style 380, 7J x 17 with 205/50 R17 tyres.



■ 18" M light alloy wheels Double-spoke style 436 M² with mixed tyres, front 7.5J x 18 with 225/40 R18 tyres, rear 8J x 18 with 245/35 R18 tyres.



 $\hfill\square$  18" M light alloy wheels Double-spoke style 719 M Jet Black  $^{\rm I}$  with mixed tyres, front 7.5J x 18 with 225/40 R18 tyres, rear 8J x 18 with 245/35 R18 tyres.

## **ORIGINAL BMW ACCESSORIES.**

■ Standard equipment □ Optional equipment ○ Accessories

Equipment 24 | 25



O The Pro 2.0 rear bicyle rack is lightweight yet sturdy and can carry up to 60kg. Exceptionally easy to use, it carries two bicycles or e-bikes (can be extended to accommodate three bicycles). Its tilt function also allows easy access to the luggage compartment at all times.

The lockable racing bicycle holder enables the secure transport of racing bicycles with quick-release clamps. It is made of high-strength aluminium and features a simple clamping system for attaching bicycles. A separate front wheel holder is also available.



O 19" light alloy wheels Star-spoke style 660 in Bicolour Orbit Grey, glosslathed on the visible side. TPMS complete summer wheel set with mixedsize run-flat tyres, wheel size 7.5J x 19 with tyre size 225/35 R19 88Y XL at the front and 8J x 19 with tyre size 245/30 R19 89Y XL at the rear.



O The coat hanger slots into the separately available base (required) and can also be used outside the vehicle.



O Precisely fitting protection against moisture and dirt in the front footwell. Coloured black with a red edge, the mats perfectly match the interior.



O The key pouch, made from quality leather, protects from soiling and inadvertent pressing of buttons. In black and blue, to complement the M Sport package.



O When the doors are opened, one of a choice of four graphics is projected on the ground adjacent to the vehicle, for perfect illumination of the entry area.



O Anti-slip, water-resistant, durable mat for protecting the luggage compartment from dirt and moisture. In black/red; colouring complements the interior.

Only available in conjunction with the M Sport package.
 Only available in conjunction with M240i and M240i xDrive

BMW 2 SERIES COUPÉ									
TECHNICAL DATA.	218i <sup>6</sup>	220i <sup>6</sup>	230i <sup>6</sup>	M240i <sup>6,7</sup> M240i xDrive <sup>6</sup>	218d*	220d* 220d xDrive*	225d*		

Weight/capacity								
Unladen EU <sup>1</sup>	kg	1420 [1440]	[1480]	[1505]	1550 [1565]	1495 [1515]	1505 [1530]	[1550]
Unladen EU (xDrive)1	kg	-	-	-	[1615]	=	[1605]	-
Max. permissible	kg	1850 [1870]	[1910]	[1935]	1980 [1995]	1930 [1950]	1945 [1965]	[1985]
Max. permissible (xDrive)	kg	-	-	-	[2050]	-	[2040]	-
Permitted load	kg	505 [505]	[505]	[505]	505 [505]	510 [510]	515 [510]	[510]
Permitted load (xDrive)	kg	-	-	-	[510]	-	[510]	-
Permitted trailer load, unbraked <sup>2</sup>	kg	680 [680]	[680]	[715]	-	715 [715]	725 [725]	[740]
Permitted trailer load, unbraked <sup>2</sup> (xDrive)	kg	-	-	-	-	-	[750]	-
Permitted trailer load, braked, max. 12% gradient/ 8% gradient <sup>2</sup>	kg	1300/1500 [1300/1500]	[1500/1500]	[1500/1500]	-	1500/1500 [1500/1500]	1500/1500 [1500/1500]	1500/1500 [1500/1500]
Permitted trailer load, braked, max. 12% gradient/ 8% gradient² (xDrive)	kg	-	_	-	-	-	-	-
Luggage Volume		390	390	390	390	390	390	390


Engine <sup>3, 4</sup>								
Cylinders/valves		3/4	4/4	4/4	6/4	4/4	4/4	4/4
Capacity	CC	1499	1998	1998	2998	1995	1995	1995
Max. output/engine speed	kW (hp)/rpm	100 (136)/4400	135 (184)/5000	185 (252)/5200	250 (340)/5500	110 (150)/4000	140 (190)/4000	165 (224)/4400
Max. torque/ engine speed	Nm/rpm	220/1250-4300	270/1350-4600	350/1450-4800	500/1520-4500	320/1500-3000	400/1750-2500	450/1500-3000


Power transmission							
Drive configuration	Rear-wheel	Rear-wheel	Rear-wheel	Rear-wheel/ four-wheel	Rear-wheel	Rear-wheel/ four-wheel	Rear-wheel
Standard transmission	6-speed manual	8-speed Steptronic	8-speed Steptronic	6-speed manual	6-speed manual	6-speed manual	8-speed Steptronic
Standard transmission (xDrive)	-	-	-	8-speed Steptronic Sport	-	8-speed Steptronic	-

Performance								
Top speed	km/h	210 [210]	[230]	[250]5	2505 [250]5	213 [213]	230 [230]	[243]
Top speed (xDrive)	km/h	-	-	-	[250] <sup>5</sup>	-	[225]	-
Acceleration 0-100 km/h	S	8.8 [8.9]	[7.2]	[5.6]	4.8 [4.6]	8.5 [8.3]	7.2 [7.1]	[6.3]
Acceleration (xDrive) 0-100 km/h	S	-	-	-	[4.4]	-	[7.0]	-

Consumption <sup>3,4</sup> – All engines con	form to the	EU6 standard						
Urban	I/100 km	6.3-6.9 [6.2-6.8]	[7.0-7.4]	[7.3-7.4]	9.4 [10.6]	5.1-5.3 [5.1-5.3]	5.2-5.4 [5.2-5.3]	[5.4-5.5]
Urban (xDrive)	I/100 km	-	-	=	[9.8]	-	[5.8-6.0]	=
Extra-urban	I/100 km	4.4-4.8 [4.4-4.8]	[4.7-5.1]	[4.8-5.1]	5.8 [6.2]	4.0-4.1[4.0-4.2]	4.1-4.2 [4.1-4.2]	[4.1-4.2]
Extra-urban (xDrive)	I/100 km	-	-	=	[6.0]	=	[4.6-4.7]	=
Combined	I/100 km	5.1-5.6 [5.1-5.5]	[5.5-5.9]	[5.7-5.9]	7.1 [7.8]	4.4-4.6 [4.4-4.5]	4.5-4.6 [4.5-4.6]	[4.6-4.7]
Combined (xDrive)	I/100 km	-	-	-	[7.4]	-	[5.0-5.1]	=
Exhaust emissions standard (type-certified)		EU6	EU6	EU6	EU6	EU6	EU6	EU6
CO <sub>2</sub> emissions, combined	g/km	119-130 [118-129]	[127-136]	[131-134]	163 [179]	116-120 [116-119]	119-122 [120-121]	[121-124]
CO <sub>2</sub> emissions, combined (xDrive)	g/km	-	-	=	[169]	=	[132-135]	-
Tank capacity (approx.)		52	52	52	52	52	52	52

Wheels							
Tyre dimensions	205/55 R16 V	205/55 R16 V	205/50 R17 V	225/40 ZR18 Y / 245/35 ZR18 Y	205/55 R16 V	205/55 R16 V	205/50 R17 Y
Wheel dimensions	7J x 16	7J x 16	7J x 17	7.5J x 18 / 8J x 18	7J x 16	7J x 16	7J x 17
Material	light alloy	light alloy	light alloy	light alloy	light alloy	light alloy	light alloy





All dimensions in the technical drawings are given in millimetres. Quoted performance, fuel consumption and  $CO_2$  emissions figures refer to vehicles with standard transmission. Figures in [] refer to vehicles with Steptronic transmission.

- <sup>1</sup> The EC unladen weight refers to a vehicle with standard equipment and does not include any optional extras. The unladen weight includes a 90% full tank and a driver weight of
- 75 kg. Optional equipment may affect the weight of the vehicle, the payload and the top speed if the selected equipment has an impact on the vehicle's aerodynamics.

  The actual gross weight of the trailer must not exceed the maximum trailer load, taking into account the maximum tow bar download.

  The data for fuel consumption, CO<sub>2</sub> emissions and energy consumption are determined in accordance with the measurement processes as defined by European Regulation (EC) 715/2007 in the applicable version. Data refer to a vehicle with base-level equipment in Germany, and the ranges account for differences according to the selected wheel and tyre size and the optional equipment and may change during the configuration process. Data for vehicles indicated with \* have already been determined on the basis of the new WLTP test cycle and adjusted for comparability with NEDC.

BMW 2 SERIES CONVERTIBLE										
	218i <sup>6</sup>	220i <sup>6</sup>	230i <sup>6</sup>	M240i <sup>6,7</sup> M240i xDrive <sup>6</sup>	218d*	220d* 220d xDrive*	225d*			

Weight/capacity								
Unladen EU <sup>1</sup>	kg	1575 [1595]	[1615]	[1650]	1695 [1710]	1640 [1660]	1660 [1675]	[1700]
Unladen EU (xDrive) <sup>1</sup>	kg	=	-	-	[1760]	-	-	-
Max. permissible	kg	1965 [1985]	[2010]	[2020]	2045 [2060]	2015 [2035]	2035 [2055]	[2060]
Max. permissible (xDrive)	kg	-	-	-	[2110]	-	-	-
Permitted load	kg	465 [465]	[470]	[445]	425 [425]	450 [450]	450 [455]	[435]
Permitted load (xDrive)	kg	=	-	-	[425]	-	-	-
Permitted trailer load, unbraked <sup>2</sup>	kg	750 [750]	[750]	[750]	-	750 [750]	750 [750]	[750]
Permitted trailer load, unbraked <sup>2</sup> (xDrive)	kg	=	-	-	=	-	-	=
Permitted trailer load, braked, max. 12% gradient/ 8% gradient <sup>2</sup>	kg	1300/1500 [1300/1500]	[1500/1500]	[1500/1500]	-	1500/1500 [1500/1500]	1500/1500 [1500/1500]	[1500/1500]
Permitted trailer load, braked, max. 12% gradient/ 8% gradient <sup>2</sup> (xDrive)	kg	=	=	=	=	=	=	-
Luggage Volume		280-335	280-335	280-335	280-335	280-335	280-335	280-335


Engine <sup>3, 4</sup>								
Cylinders/valves		3/4	4/4	4/4	6/4	4/4	4/4	4/4
Capacity	CC	1499	1998	1998	2998	1995	1995	1995
Max. output/engine speed	kW (hp)/rpm	100 (136)/4400	135 (184)/5000	185 (252)/5200	250 (340)/5500	110 (150)/4000	140 (190)/4000	165 (224)/4400
Max. torque/ engine speed	Nm/rpm	220/1250-4300	270/1350-4600	350/1450-4800	500/1520-4500	320/1500-3000	400/1750-2500	450/1500-3000


Power transmission							
Drive configuration	Rear-wheel	Rear-wheel	Rear-wheel	Rear-wheel/ four-wheel	Rear-wheel	Rear-wheel	Rear-wheel
Standard transmission	6-speed manual	8-speed Steptronic	8-speed Steptronic	6-speed manual	6-speed manual	6-speed manual	8-speed Steptronic
Standard transmission (xDrive)	=	=	-	8-speed Steptronic Sport	-	=	-

Performance								
Top speed	km/h	207 [205]	[226]	[250]5	2505 [250]5	208 [205]	225 [225]	[231]
Top speed (xDrive)	km/h	-	-	-	[250]5	-	-	-
Acceleration 0–100 km/h	S	9.4 [9.6]	[7.7]	[5.9]	4.9 [4.7]	9.0 [8.8]	7.6 [7.5]	[6.5]
Acceleration (xDrive) 0-100 km/h	S	-	-	-	[4.6]	-	-	-

Consumption <sup>3,4</sup> – All engines conform to the EU6 standard											
Urban	I/100 km	6.9-7.5 [6.5-7.1]	[7.2-7.6]	[7.5–7.7]	9.8 [11.2]	5.6-6.0 [5.3-5.5]	5.9-6.1 [5.4]	[5.6-5.7]			
Urban (xDrive)	I/100 km	-	-	-	[10.4]	-	-	-			
Extra-urban	I/100 km	4.7-5.1 [4.6-5.0]	[5.0-5.4]	[5.2-5.4]	6.0 [6.6]	4.4-4.7 [4.3-4.5]	4.3-4.6 [4.3-4.4]	[4.4-4.5]			
Extra-urban (xDrive)	I/100 km	-	-	-	[6.3]	-	-	-			
Combined	I/100 km	5.5-6.0 [5.3-5.8]	[5.8-6.2]	[6.0-6.2]	7.4 [8.3]	4.8-5.2 [4.7-4.8]	4.9-5.1 [4.7-4.8]	[4.8-5.0]			
Combined (xDrive)	l/100 km	-	=	-	[7.8]	-	-	-			
Exhaust emissions standard (type-certified)		EU6	EU6	EU6	EU6	EU6	EU6	EU6			
CO <sub>2</sub> emissions, combined	g/km	129-139 [124-134]	[133-141]	[138-143]	169 [189]	127-136 [123-127]	129-135 [124-126]	[128-130]			
CO <sub>2</sub> emissions, combined (xDrive)	g/km	-	=	-	[179]	-	-	-			
Tank capacity (approx.)		52	52	52	52	52	52	52			

Wheels							
Tyre dimensions	205/55 R16 H	205/55 R16 W	205/50 R17 Y	225/40 ZR18 Y / 245/35 ZR18 Y	205/55 R16 V	205/55 R16 W	205/50 R17 Y
Wheel dimensions	7Jx16	7Jx16	7Jx17	7.5Jx18 / 8Jx18	7Jx16	7Jx16	7Jx17
Material	light alloy	light alloy	light alloy	light alloy	light alloy	light alloy	light alloy





- <sup>4</sup> Performance data of petrol engines apply to vehicles using RON 98 fuel. Fuel consumption data apply to vehicles using reference fuels in accordance with EU Regulation 2007/715. Unleaded RON 91 and higher with a maximum ethanol content of 10% (E10) may also be used. BMW / MINI / RR recommends RON 95 super unleaded petrol.
- Electronically limited.

  6 Modelslengines for which these values apply can be ordered until 04/15/2018. Please ask your BMW Partner for more detailed information about the availability.

  7 Manual transmission available until end of 05/2018.

#### BMW M240i COUPÉ:

M Performance TwinPower Turbo 6-cylinder in-line petrol engine, 250 kW (340 hp), 18" M light alloy wheels Double-spoke style 719 M Jet Black, exterior colour in Sunset Orange metallic, seats in Black Dakota leather, Aluminium Hexagon interior trim with high-gloss Black accent line.

### BMW 230i CONVERTIBLE WITH LUXURY LINE:

BMW TwinPower Turbo 4-cylinder petrol engine, 185 kW (252 hp), 17" light alloy wheels Double-spoke style 724 Ferric Grey, gloss-lathed, exterior colour in Seaside Blue metallic, soft top in Brown silver effect, seats in Cognac Dakota leather with Brown highlights, Fineline Stream fine-wood trim with Pearl-Gloss Chrome accent line.

The models illustrated in this brochure show the equipment and configuration options (standard and optional) for vehicles produced by BMW AG for the German market. Alterations in standard and optional equipment and the configurations available for the different models, as described in this brochure, may occur after 11/16/2017, the date when this brochure went to press, or according to the specific requirements of other markets. Your local BMW Partner is available to provide further details. Subject to change in design and equipment.

© BMW AG, Munich, Germany. Not to be reproduced wholly or in part without prior written permission of BMW AG, Munich.

4 11 002 116 20 1 2018 BM. Printed in Germany 2018.

